




中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698

III. Shape and accessories









中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698

No.	Name	Icon Specification	image	Remarks
1	Pressure gauge	YB-01 25MPa-100		Standard
2	Accumulator	YB-02 NXQ-A-0.63		Standard fragile
3	Rotary valve	YB-03 240-10B		Standard fragile
4	Pressure gauge switch	YB-04 KF type 32MPa		Standard fragile
5	Relief valve	YB-05 Y-63B(85Pump) DB-10(140Pum) DB-20(200 pump and above)		Standard fragile
6	Motor	YB-06 Refer to the main parameter table		Standard
7	Electric rack	YB-07		Non-standard



中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698







8	Coupler	YB-08		Non-standard
9	Gear pump	YB-09 Refer to the main parameter table		Standard fragile
10	Cooler	YB-10		Non-standard fragile
11	Filter	YB-1 1 MF-1 0		Standard fragile
12	Tank	YB-12		Non-standard
13	Liquid level gauge	YB-13 YT-LS- 7		Standard fragile
14	Stroke adjustment plate	YB-14		Non-standard



中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698

15	Plunger cap	YB-15		Non-standard vulnerability
16	Pressure water ring	YB-16		Non-standard vulnerability
17	Stuffing box	YB-17		Non-standard vulnerability
18	Water seal	YB-18		Non-standard vulnerability
19	Pump body	YB-19		non-standard
20	manifold	YB-20		non-standard
21	Ball valve	YB-21 Q41S4-40-25		standard



中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698

				
22	The valve core spring	YB-22		Non-standard vulnerability
23	Valve plates	YB-23		Non-standard vulnerability
24	Valve core	YB-24		Non-standard vulnerability
25	The seat	YB-25		Non-standard vulnerability
26	Guide bar	YB-26		Non-standard vulnerability
27	Set frame	YB-27		non-standard
28	The cover	YB-28		non-standard



中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698







29	Set screw bolt	YB-29		non-standard
30	Pillar nut	YB-30		standard
31	Buffer tank	YB-31		non-standard
32	Ceramic plunger	YB-32		Non-standard vulnerability
33	Column dust ring	YB-33 J32 (85pump) J40 (140pump) J4 (200pump) J5 (250pump) J60 (300pump)		non-standard
34	Pillar copper sleeve	YB-34 32X42X50 (85pump) 40X50X55 (140pump) 45X55X50 (200pump) 50X60X55 (250pump) 60X70X60 (300pump)		non-standard
35	post	YB-35		non-standard



中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698


36	The piston rod	YB-36		non-standard
37	The beam	YB-37		non-standard
38	Piston rod dust ring	YB-38 J25 (85 pump) J35 (140 pump) J40 (200 pump、250 pump) J50 (300 pump)		standard
39	Piston rod oil seal	YB-39 UN25X35X6 (85 pump) UN35X45X6 (140 pump) UN40X50X6 (200 pump 250 pump) UN50X60X6 (300 pump)		standard
40	Copper sleeve for piston rod	YB-40 35X45X35 (140 pump) 40X50X40 (200 pump、250 pump) 50X60X40 (300 pump)		non-standard
41	The piston	YB-41		Non-standard vulnerability



中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698

42	Piston seal	YB-42 D60 (85 pump) D85(140 pump) D105(200pump) D110(250pump) D12 (300pump)		standard vulnerability
----	-------------	---	--	---------------------------







Zhongtuo Equipment



中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698

43	Oil cylinder	YB-43		non-standard
44	Oil cylinder bolt	YB-44		non-standard
45	Cylinder head cover	YB-45		non-standard
46	High-pressure tubing	YB-46		standard vulnerability
47	Pressure gauge	YB-47 YN-100(0-6MPa)		standard
48	Hydraulic valve	YB-48 24Y-63B (85pump) 4WH-16Y (140Pump and above)		standard vulnerability



中拓矿山设备

Shaanxi Zhongtuo Mining Equipment Co.,Ltd

Whatsapp:+8617789123698

Zhongtuo Equipment